

<b>SPECIFICATION FOR PACKING MATERIALS- GLASS BOTTLES- DISPENSING &amp; DROPPER</b>						
<b>SL. NO.</b>	<b>PACKING MATERIALS- GLASS BOTTLES</b>	<b>Colour</b>	<b>Height of Bottle with/without cap</b>	<b>Weight of Bottle without cap</b>	<b>Over flow</b>	<b>Bottom Diameter</b>
<b>I</b>	<b>Dispensing Glass bottles for Medicine Filling</b>					
a	5 ml screw	Amber/Clear	51±2 mm	5 – 6 g	5.5 – 6.5 ml	14 – 15.5 mm
b	7ml screw	Amber/Clear	56±2 mm	5.5 – 7.5 g	7.5 – 8.5 ml	14 – 16.5 mm
c	10 ml screw	Amber/Clear	74±2 mm	7.5 - 9 g	10.5 – 11.5 ml	14 – 16.5 mm
<b>II</b>	<b>GLASS DROPPER BOTTLES – screw type neck with dropper and cap-10 ml</b>					
a	10ml glass bottles screw type neck with dropper and cap.	Amber/Clear	74±2 mm	7.5 - 9 g	10.5 – 11.5 ml	14 – 16.5 mm

- Glass bottles should be **Neutral**.
- Glass bottles should be in uniform size with suitable caps for each type.
- Should be supplied in good quality carton box.
- Each box (small / inner) should contain equal number of glass bottles (Gross packing).
- Each outer carton box may preferably contain 8 to 14 small cartons based on the glass type along with proportionate number of caps.
- Caps should be of superior quality, perfectly tight and should not break while tightening.
- Outer carton box should be stiff, well strapped and marked with Item name size & quantity.
- DROPPER should be properly and tightly insertable and perfect dropping.

06.11.2024

(Sd/-)  
Managing Director