

**THE KERALA STATE HOMOEOPATHIC CO-OPERATIVE PHARMACY
LTD., PATHIRAPPALLY, ALAPPUZHA, KERALA**

SPECIFICATION FOR PACKING MATERIALS-CARTONS -TENDER

SL.NO.	PACKING MATERIALS	APPROXIMATE ANNUAL REQUIREMENT	QUANTITY PER PO (Approx.)
1	CORRUGATED MASTER CARTONS		
A	5 Ply Cartons – 5 ply Printed, Minimum 800 GSM – CALICO PASTED AT FOUR EDGES, Bursting Strength (BS)≥ 6psi. Pad- 5 ply, Minimum 650 GSM, BS ≥ 5psi Partition -3 ply, minimum 390 GSM, BS ≥ 3psi Note:- one set comprises of one box + one partition (height up to the neck of the bottles) + 2 pads; Any deviation from the specification shall not be allowed. Rate should be quoted separately for carton, pad and partition.		
a	L-38 x W-30.5 x H-21cm (for packing 500 g packets x 28) +PAD 36cm x 30cm(2Nos.)	50000	2000
b	L-40.5 x W-35 x H-14 cm (for packing 100 ml x 56 bottles) PAD 38 x 32cm (2 Nos.)+Partition Height 12 cm	61000	2000
c	L-29.5 x W-25.5 x H-14 cm (for packing 100ml x 30 bottles) +PAD 28 x 22.5 cm(2 Nos.) +Partition Height 10cm	6000	500
B	3 Ply Cartons – 3 ply Printed, Minimum 400 GSM, BS≥ 4psi. Partition - 3 ply, Minimum 370 GSM, BS ≥ 3psi Pad -3 ply, minimum 390 GSM, BS ≥ 3psi		
a	L-29 x W-18 x H-9.5 cm (for packing 30 ml x 35 bottles) +Pad 3 ply 28cm x 17cm (2Nos.)+Partition 7 cm Height	61000	2000

04/04/2025

(Sd/-)
Managing Director