



(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone : 477 2258012 :477 2258665 Fax : 0477 2258012

-

2

MUMB 400 05

Website : www.homcokerala.com Email : homcok

Email : homcokerala@gmail.com

Supplier's Copy

BOX STRAPPING MACHINE (FULL

USER REQUIREMENT SPECIFICATION

Name of the Company	:		
Contact Person		DESC (To be specified by the	
Address and an and stated and a state Address and an angles of a stated and a stated and a stated and a stated a stated a stated a stated a stated a		Scope	9
Contact Details			
(olismotuA) enidosM polganta Department	80X	i leboM	
Equipment and Code No.	850	Box Strapping Machine (Automatic)	
reles /60hz, 26 cycles /56Hz per m	28 0	(Second Floor-Packing Hall)	
Name of work	Max 1 , e	Supply, Installation, Commissioning Box Strapping Machine Automatic, HOMCO –Kerala -	
Ref. No.	đε	Capadity :	
) x 640 x 1475 mm * Date	:	Dimensions (W X D X H) mm Table Height	Sector
Enclosures * mm de x	o6 t	Minimum Package Size (W X H) min	
* sb3i	220	Machine Weight	
Quantity	ac	1 No.	

ised mauldwho jieur lad se laudons am An unumo bur paulo

쨙

CONSULTANT : M/S. KNACK TECHNOCRATS



(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone : 477 2258012 :477 2258665 : 0477 2258012 Fax

TECHA

400 053

(J. Ansair)

~

Email : homcokerala@gmail.com Website : www.homcokerala.com

BOX STRAPPING MACHINE (FULLY AUTOMATIC)

BASIC DETAILS OF THE MACHINE ANNEXURE - I

(To be specified		e supplier, if any variation)
Scope		Supply, Installation and Commissioning of cGMP model Box Strapping Machine (Automatic) along with connecting accessories, cables etc. at M/s. HOMCO –Kerala
Machine	•	Box Strapping Machine (Automatic)
Model	•	*
Arch Size (A) anidating (A)	xd8	850W x 600H mm (Standard) *
Strap Cycle Speed philos9-hool3 bho		28 cycles /60Hz, 26 cycles /50Hz per min. *
Tension Strength	sup	Max. 70 kgs * whow to email
PP Strap Width	Box	9, 12 or 15 mm *
Sealing method	-	Heat sealing *
Capacity	:	30 Straps/min.
Dimensions (W X D X H) mm	:	1400 X 640 X 1475 mm *
Table Height	•	810 mm *
Minimum Package Size (W X H) mm	•	100 X 30 mm * 2010201013
Machine Weight	:	220 Kgs *
Gross Weight	1 No.	265 Kgs *

* To be specified and confirm by the supplier as per their equipment design A MUMB

CONSULTANT : M/S. KNACK TECHNOCRATS





(sp

(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone : 477 2258012 :477 2258665 Fax : 0477 2258012

3

Website : www.homcokerala.com

Email : homcokerala@gmail.com

ANNEXURE - II, III : COMP FEATURES & OPERATIONAL FEATURES

DESCRIPT

			qquas	DESCRIP	TION
		(To be spe	cified	by the su	pplier, if any variation)
мос		*V51:	23*		Standard Operating Voltage
Finish		:	* *		Rating watts
Unit s	hould consis	st of followi	ng fea	tures:	Total power consumption
>	Unit should I	be with CKD F	rame	and powd	er paint. * (yns it) alisied refseif
>	Machine sho	uld be suitabl	e for l	PP strappir	• PLC and HMI details
>	Should be th	ne most powe	r full r	machine ar	nd best performance in its application. *
>	Should be disassemble		igned	, aluminu	m alloy arch and easy to assemble and
>	Should have humanity. *		positi	oning and	retry feeding functions enable operating of
>	Should be c	onvenient ope	erating	g modes w	ith panel, ball switch and foot pedal switch. st
>	Should wor	k on low vol	tage	to preven	t operators from shocking. *
To be	specified a	nd confirm b	y the	supplier	as per their equipment design
					Inside Uper DOTECHAN
					A A A A A A A A A A A A A A A A A A A

CONSULTANT : M/S. KNACK TECHNOCRATS





(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone: 477 2258012 :477 2258665 Fax : 0477 2258012

TROM

36118A 400 053.

-

4

Website : www.homcokerala.com Email : homcokerala@gmail.com

ANNEXURE - IV ELECTRICAL DETAILS

(To be specified		CRIPTION le supplier, if any variation)
Standard Operating Frequency	0% 1 the	50 Hz = = = = = = = = = = = = = = = = = =
Standard Operating Voltage		230 / 415V* DOM
Rating watts	:	Finish : **
Total power consumption	1991) 19	Unit should consist of following fea
Heater Details (If any)	da pur	I > Unit should be with CKO Frank
PLC and HMI details	9 9013	Machine should be suitable to.
VFD details (If any)	achtae	 Should be the most power fills in
Tower lamp (If required)	ntois	> Should be modular designed
Starter	:	*
Major Cabling details		humanity, *
For Main supply (In client's scope)	abben	 Should be convenient operating
For Main drive motor	o prov	Should work on low voltage
End connection details		MCB or Socket should be with equipment
Earthing requirement	:	Arrangement should be with system
An Isolator Circuit breaker	•	To be supplied with machine at power supply in point of appropriate capacity by vendor. *
Cable length with equipment		*

Any other detail not mentioned above, also to be included.

Client will provide & connect the required cable in to vendor's panel. From machine panel to machine and its other accessories to be supplied and connected by vendor at site.

* To be specified and confirm by the supplier as per their equipment design/ 5



CONSULTANT : M/S. KNACK TECHNOCRATS



Kerala State Homoeopathic Co-Operative Pharmacy Ltd. (sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone: 477 2258012 :477 2258665 : 0477 225801: Fax

Website : www.homcokerala.com

Email : homcokerala@gmail.com

	DESCRIPTION
	(To be specified by the supplier, if any variation)
Misce	llaneous:
*	Wiring between Panel and the Machine should be in the Scope of Vendor. The exact measurements shall be taken by visiting the site. *
*	The Incomer to the Operating Panel shall be provided by HOMCO, however any Cable Trays or SS 304 Conduits required for the same shall be provided by the Vendor. *
*	Cable routing from Operating Panel to the Machine shall be done as per cGMP i.e. routing through Cable Trays outside Clean Room Areas and SS 304 Conduits inside Clean Room Areas. *
*	All the Component Makes should match the Approved Makes list provided. *
*	Any deviation from this should be documented and communicated to HOMCO. *
*	All Calibration Certificates are to be produced during Installation of Machine, without which the Installation is deemed incomplete. All the Certificates should be Traceable to National / International Standards. *
*	The Validity of Calibration shall be minimum 9 months and maximum 12 months from
	the date of Installation. *
*	All the Signal Cables should be shielded to avoid interference. *
*	Complete Earthing of Equipment. *
*	Complete covering of Electrical Cables and Other Connections. *





CONSULTANT : M/S. KNACK TECHNOCRATS





Phone: 477 2258012 :477 2258665 Fax : 0477 2258012

Website : www.homcokerala.com

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Email : homcokerala@gmail.com

ANNEXURE - V SAFETY FEATURES

DESCRIPTION

(To be specified by the supplier, if any variation)

The equipment should be provided with motor overload safety relay. *

In the event of equipment malfunction or stoppage of utilities, the unit must contain all necessary protection devices to ensure that equipment and product remain in safe condition. *

Equipment settings should not get disturbed due to power failure. *

Equipment should not restart without human intervention. *

Equipment should indicate fault through audio / visual signal with details on Control panel (Failure mode detection) *

An easily accessible emergency stops to be provided on main control panel door. *

Lubricant should not come in product contact. *

Wherever possible, warning symbols should be provided. *

Electrical wiring must be concealed*

* To be specified and confirm by the supplier as per their equipment design



CONSULTANT : M/S. KNACK TECHNOCRATS

42, AVINASH, 7 BUNGALOWS, J.P. ROAD, ANDHERI (W), MUMBAI - 400 053 TEL. NO. : 022-2636 1629, Email : infoknack@gmail.com

Ausan

ECA





:477 2258665

: 0477 2258012

Phone: 477 2258012

Fax

Kerala State Homoeopathic Co-Operative Pharmacy Ltd.

(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Website : www.homcokerala.com Email : homcokerala@gmail.com

ANNEXURE - VI : UTILITY REQUIREMENT

To be spe		DESCRIPTION by the supplier, if any variation)
Vacuum		Mode of machine deaming
Compressed Air	no on	Ordinary *
	06.95	Non-Lubricated *
Any other utilities		per lheir design requirement.*
per their equipment design	86.78	To be specified and confirm by the suppl

* To be specified and confirm by the supplier as per their equipment's design requirement with pressure and flow rate and pipe /nozzle size required.

CA. MUME 400 053 (al Amean)



CONSULTANT : M/S. KNACK TECHNOCRATS



177 27 56012

(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone: 477 2258012 :477 2258665 Fax : 0477 2258012

Website : www.homcokerala.com

Email : homcokerala@gmail.com

ANNEXURE - VII : CLEANING TECHNIQUE

(To be spe		SCRIPTION the supplier, if any	variation)
Mode of machine cleaning		*	
Use of Lubricants	•	*	
All contact parts should be easily	dismantle	ed and cleanable.	Compressed Air
Drain points: Vendor should spec per their design requirement *	cify the pip	e size and location	of drain points if any required as

* To be specified and confirm by the supplier as per their equipment design

ind confirm by the supplier as per their equipment's design pressure and flow rate and nine (nozzle size required.





CONSULTANT : M/S. KNACK TECHNOCRATS





:477 2258665

: 0477 2258012

Phone: 477 2258012

Fax

Kerala State Homoeopathic Co-Operative Pharmacy Ltd.

(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Website : www.homcokerala.com Email : homcokerala@gmail.com

ANNEXURE - VIII : MECHANICAL DETAILS

		SCRIPTION
(To be speci	fied by t	the supplier, if any variation)
Dimension (In mm)		*
Net Weight (In Kgs.)	ng es inte	Offeet and the specified by the specifie
Type of Packing	bi vona i	 Optional Items (If any, Vender should
Case Dimension (In mm)		*
Gross Weight (In Kgs.)	ostado 20	* su num form samde nagrenumpean is
Foundation details (If required)	Salo ut I	 If any items required but not incluged

* To be specified and confirm by the supplier as per their equipment design

cillary or accessories or optional items not mentioned above also to be que

ed and confirm by the supplier as per their equipment design







(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone : 477 2258012 :477 2258665 : 0477 2258012 Fax

Website : www.homcokerala.com

Email : homcokerala@gmail.com

LIST OF ANCILLARY / ACCESSORIES / OPTIONAL ITEMS ANNEXURE - IX .

DESCRIPTION

(To be specified by the supplier, if any variation)

Optional Items (If any, Vendor should provide the list with rate) * 2

Recommended Spares along with list & quantity (Vendors should submit with tender) *

> If any items required but not included in URS, to be mentioned and submitted with unit

rate and quantity * (And it can be indicated during pre-bid meeting)

Any other ancillary or accessories or optional items not mentioned above also to be quoted.

* To be specified and confirm by the supplier as per their equipment design





CONSULTANT : M/S. KNACK TECHNOCRATS





(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone : 477 2258012 :477 2258665 Fax : 0477 2258012

ECA

MURA

Website : www.homcokerala.com

Email : homcokerala@gmail.com

ANNEXURE - X : TRAINING REQUIREMENT

- Training to all concern of M/s. HOMCO, Kerala for the Installation, Operation, Maintenance and Cleaning of this Equipment shall be provided by vendor and training record will be documented.
- > Vendor shall support client in execution of all the Qualification Phases.

her components, not mentioned above, to be specified by the vandor. Component Makes should match with the Approved Makes fished Any deviation from this should be documented and communicated to D and Pharma Consultant.

be specified and confirm by the supplier as par their equipment design



CONSULTANT : M/S. KNACK TECHNOCRATS





(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone : 477 2258012 :477 2258665 Fax : 0477 2258012

Website : www.homcokerala.com Email : homcokerala@gmail.com

ANNEXURE - XI : APPROVED MAKES

Motor: Hindustan/Crompton/	b	Training to all concern
Gear Box: Shacon/ Buonfiglio/	Edi	and Cleaning of th
Stainless Steel Sheet & Pipe: Tata / Jindal	:	accentenced.
VFD: Allen Bradly/Mitsubishi/	:	
Cables: Finolex / Polycab	:	*

- * Any other components, not mentioned above, to be specified by the vendor.
- All the Component Makes should match with the Approved Makes listed above. Any deviation from this should be documented and communicated to HOMCO and Pharma Consultant.

* To be specified and confirm by the supplier as per their equipment design





CONSULTANT : M/S. KNACK TECHNOCRATS



:477 2258665

: 0477 2258012

Kerala State Homoeopathic Co-Operative Pharmacy Ltd. Phone: 477 2258012 (sponsored by government of Kerala & aided by govt. of India) Fax

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Website : www.homcokerala.com Email : homcokerala@gmail.com

2

ANNEXURE - XII

DOCUMENTATION

ir. Io.	Document to be supplied	Qty	Remarks
L —	Design and operational qualification	2 sets	
2	SAT/FAT procedures	2 sets	
3	Operation manual ibecing to	2 sets	
1 8 8	Maintenance manual	2 sets	
5 0	Spare parts manual	2 sets	
5	All engineering drawings	2 sets	EXCISE / 1 BAR
7	List of instruments	2 sets	1 101 101 101611
3	Calibration certificates	2 sets	noissile du 2
9	Warranty / Guarantee	2 sets	Response to
0	List of all components with referencing	2 sets	Subnission
1	Civil foundation drawings	2 sets	specification
2	Pre installation requirements	2 sets	Submission o
3	Installation requirements	2 sets	Submission (
4	Installation manual	2 sets	Drawings / d
5	Technical literature, data sheets and equipment catalogues	2 sets	The supplier
6	DQ, IQ, PQ documents.	2 sets	Catalogue, E
7	Calibration Report of all sensors, controllers, PLC, transmitters, indicators etc.	2 sets	with quotatix
8	Test Certificates of all material of construction	2 sets	* To be speci
9	Test Certificates of the software used in machine control / monitoring system.	2 sets	TECH

CONSULTANT : M/S. KNACK TECHNOCRATS



(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone : 477 2258012 :477 2258665 : 0477 2258012 Fax

Website : www.homcokerala.com Email : homcokerala@gmail.com

ANNEXURE - XIII TERMS AND CONDITIONS .

Delivery Period	5.00	Tist of all Boculments to be supplie *8
Payment Terms (10) beilgge	be s	As mentioned in tender.
Packaging and forwarding	-:-	By Vendor
Un-loading at site	:	By vendor /Supplier (If required, help for the arrangements
2 sots		of unloading can be done by client)
2. sets		Installation in position by the vendor under the client's supervision
Excise / Taxes /GST	:	
Material for Trial arrangement		* (To be arranged by client)
Installation and Commissioning	:	By Vendor
Submission of documents and drawings		estation continuities a
Response to URS and submission of quotation	:	Within 1 week
Submission of detail functional design	10.91	Within a week after order finalization
specification and schematic drawings		11. Civil foundation drawings
Submission of FAT / SAT specification	:	2 weeks before FAT
Submission of IQ AND OQ documents	:	With equipment delivery
Drawings / diagrams	:	Within a week after receiving PO

The supplier should notify customer 2 weeks in advance of the beginning of FAT

Catalogue, Equipment drawing, List of clients and year of establishment to be submitted along with quotation.

Any other terms, not mentioned above, also to be specified.

* To be specified and confirm by the supplier as per their equipment design



42, AVINASH, 7 BUNGALOWS, J.P. ROAD, ANDHERI (W), MUMBAI - 400 053 TEL. NO. : 022-2636 1629, Email : infoknack@gmail.com

MUMBA

400 053

×



(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone: 477 2258012 :477 2258665 Fax: 0477 2258012

MUMBAI

400 053.

x

70

15

Website : www.homcokerala.com

Email : homcokerala@gmail.com

ANNEXURE - XIV : ABBREVIATION

1.	URS	:	User Requirement Specification.
2.	НОМСО		Kerala State Homeopathic Co-operative Pharmacy Ltd
3.	DQ	:	Design Qualification
4.	IQ	:	Installation Qualification
5.	OQ		Operational Qualification
6.	PQ	:	Performance Qualification
7.	SS	:	Stainless Steel
8.	RHS	:	Right Hand Side
9.	MOC	:	Material of Construction
10.	KW		Kilo Watt
11.	HP	:	Horse Power
12.	RPM	:	Rotation Per Minute
13.	FLP	:	Flame Proof
14.	cGMP	:	Current Good Manufacturing Practices
15.	O&M		Operation and Maintenance
16.	GA		General Arrangement
17.	SLD		Single Line Diagram
18.	HOD	:	Head of Department
19.	QA	•	Quality Analysis
20.	MRP		Maximum Retail Price
21.	NMT	•	Not more than
22.	VFD	:	Variable frequency drive
23.	FAT	:	Factory Acceptance Test
24	SAT	:	Site Acceptance Test

Any other details, not mentioned in Annexure I to XIII, to be specified in the quotation/specification by the vendor.



CONSULTANT : M/S. KNACK TECHNOCRATS