

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone : 477 2258012 :477 2258665

Fax : 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

Supplier's Copy

USER REQUIREMENT SPECIFICATION

	14	
Enclosures		
Date nplash themqlups risdt tog a	•	* To be specified and confirm by the supp
Ref. No. * mm 083 X 540 X	550	External Dimensions (L X W X H) mm : Net Weight
20V / 50 Hz, 110V / 60 Hz * W *		model Foot Operated Sealing Machine at M/s HOMCO –Kerala -
Name of work		Supply, Installation, Commissioning of cGMI
Equipment and Code No.		Foot Operated Sealing Machine.
Department	024	Model : Sealing Length (mm)
Contact Details	enes	
y, Installation and Commissioning Residue Sealing Macaine all Residue Sealing Macaine all	Supr	Scope
Contact Dougen		DESC (To be specified by the
Name of the Company	:	



CONSULTANT: M/S. KNACK TECHNOCRATS

42, AVINASH, 7 BUNGALOWS, J.P. ROAD, ANDHERI (W), MUMBAI – 400 053 TEL. NO.: 022-2636 1629, Email: infoknack@gmail.com



(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Website: www.homcokerala.com

Phone: 477 2258012 :477 2258665 Fax: :0477 2258012

Email: homcokerala@gmail.com

FOOT OPERATED SEALING MACHINE

ANNEXURE - I : BASIC DETAILS OF THE MACHINE

MACHINE - I

(To be specified		cription ne supplier, if any variation)
Scope	•	Supply, Installation and Commissioning of cGMP model Foot Operated Sealing Machine along with connecting accessories, cables etc. at M/s. HOMCO –Kerala at
Model	•	*
Sealing Length (mm)		450 mm *
Sealing Width (mm)	304 3 4	12 mm * .old sood bas inemqlup3
Heat Time (Sec.)	•	0 to 2.5 Sec. *
Voltage (V)	•	AC 220V / 50 Hz, 110V / 60 Hz *
Impulse Power (W)		1250 W *
External Dimensions (L X W X H) mm		550 X 540 X 880 mm *
Net Weight	-	21 Kgs *

* To be specified and confirm by the supplier as per their equipment design



CONSULTANT: M/S. KNACK TECHNOCRATS

TECH



(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone: 477-2258012 :477-2258665 Fax: 0477-2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - I : BASIC DETAILS OF THE MACHINE

MACHINE - II

	DES	CRIPTION
(To be specified	by t	he supplier, if any variation)
Scope	•	Supply, Installation and Commissioning of cGMP model Foot Operated Sealing Machine along with connecting accessories, cables etc. at M/s. HOMCO –Kerala at
Model	•	*
Sealing Length (mm)	:	650 mm *
Sealing Width (mm)		5 mm *
Heat Time (Sec.)		0 to 2.5 Sec. *
Voltage (V)	:	AC 220V / 50 Hz, 110V / 60 Hz *
Impulse Power (W)	:	1500 W *
External Dimensions (L X W X H) mm	•	700 X 570 X 880 mm *
Net Weight		24 Kgs *


* To be specified and confirm by the supplier as per their equipment design



TECH

MUMBAI 400 053





Phone: 477 2258012 :477 2258665

Fax : 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - II, III **CGMP FEATURES & OPERATIONAL FEATURES**

		DESCRIPT	ION
	(To be spe	ecified by the sup	olier, if any variation)
мос	415V*	<u> 230</u>	Standard Operating Voltage
Finish		*	Rating watts

Unit should consist of following features:

- The machine should be equipped with double heaters for perfect sealing. *
- The machine should be provided with adjustable electronic timer. *
- Should have audio and visual sealing indicators. *



(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone: 477 2258012 :477 2258665 Fax: 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - IV : ELECTRICAL DETAILS

(To be specified		ERIPTION e supplier, if any variation)
Standard Operating Frequency	en l	50 Hz of old
Standard Operating Voltage	•	230 / 415V*
Rating watts	·	* * :
Total power consumption	ures:	Unit should consist of following feat
Heater Details (If any)		* The machine should be equipped
PLC and HMI details	• • •	➤ The machine should be provided
VFD details (If any)	a gail	Should have audio and visual sta
Tower lamp (If required)	•	* To be specified and confirm by the s
Starter		*
Major Cabling details		
For Main supply (In client's scope)		
For Main drive motor		*
End connection details		MCB or Socket should be with equipment
Earthing requirement		Arrangement should be with system
An Isolator Circuit breaker		To be supplied with machine at power supply in point of appropriate capacity by vendor. *
Cable length with equipment		*

Any other detail not mentioned above, also to be included.

Client will provide & connect the required cable in to vendor's panel. From machine panel to machine and its other accessories to be supplied and connected by vendor at site.

* To be specified and confirm by the supplier as per their equipment design



CONSULTANT: M/S. KNACK TECHNOCRATS

42, AVINASH, 7 BUNGALOWS, J.P. ROAD, ANDHERI (W), MUMBAI - 400 053 TEL. NO.: 022-2636 1629, Email: infoknack@gmail.com



(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone: 477 2258012 :477 2258665 Fax: 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

DESCRIPTION

(To be specified by the supplier, if any variation)

Miscellaneous:

- Wiring between Panel and the Machine should be in the Scope of Vendor. The exact measurements shall be taken by visiting the site. *
- The Incomer to the Operating Panel shall be provided by HOMCO, however any Cable Trays or SS 304 Conduits required for the same shall be provided by the Vendor. *
- Cable routing from Operating Panel to the Machine shall be done as per cGMP i.e. routing through Cable Trays outside Clean Room Areas and SS 304 Conduits inside Clean Room Areas. *
- All the Component Makes should match the Approved Makes list provided.
- Any deviation from this should be documented and communicated to HOMCO. *
- All Calibration Certificates are to be produced during Installation of Machine, without which the Installation is deemed incomplete. All the Certificates should be Traceable to National / International Standards. *
- The Validity of Calibration shall be minimum 9 months and maximum 12 months from the date of Installation. *
- All the Signal Cables should be shielded to avoid interference. *
- Complete Earthing of Equipment. *
- Complete covering of Electrical Cables and Other Connections.







(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone: 477 2258012 :477 2258665

Fax : 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE -

nobnev to eggs and all ed blueds obscription

(To be specified by the supplier, if any variation)

The equipment should be provided with motor overload safety relay. *

In the event of equipment malfunction or stoppage of utilities, the unit must contain all necessary protection devices to ensure that equipment and product remain in safe condition. *

Equipment settings should not get disturbed due to power failure. *

Equipment should not restart without human intervention. *

Equipment should indicate fault through audio / visual signal with details on Control panel (Failure mode detection) *

An easily accessible emergency stops to be provided on main control panel door. *

Lubricant should not come in product contact. *

Wherever possible, warning symbols should be provided. *

Electrical wiring must be concealed*







Phone : 477 2258012

:477 2258665 Fax : 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - VI : UTILITY REQUIREMENT

MOTIVE	DESCRIPTION by the supplier, if any variation)
Vacuum :	Mode of machine cleaning : **
	Use of Lubricants
Compressed Air	* value on tact parts should be easily dismantied
ze and location of drain points if any req	
Any other utilities :	per their design requirement.*
	* To be specified and confirm by the suppli

* To be specified and confirm by the supplier as per their equipment's design requirement with pressure and flow rate and pipe /nozzle size required.







(sponsored by government of Kerala & aided by govt. of India) Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521 Phone: 477 2258012 :477 2258665 Fax : 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - VII

CLEANING TECHNIQUE

(nobsin (To be speci	SCRIPTION the supplier, if any	variation)
Mode of machine cleaning	*	Vacuum
Use of Lubricants	*	

Drain points: Vendor should specify the pipe size and location of drain points if any required as per their design requirement *









Phone: 477 2258012 :477 2258665 Fax: 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - VIII

MECHANICAL DETAILS

	DES	SCRIPTION			
(To be specified by the supplier, if any variation)					
Dimension (In mm)	•	*			
Net Weight (In Kgs.)	•	* vi To be specified by			
Type of Packing		* Outional Items (If any Vendor should			
Case Dimension (In mm)		*			
Gross Weight (In Kgs.)		*			
Foundation details (If required)	a Uni	If any items required but not include			







(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone: 477 2258012 :477 2258665 Fax: 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - IX : LIST OF ANCILLARY / ACCESSORIES / OPTIONAL ITEMS

DESCRIPTION

(To be specified by the supplier, if any variation)

- Optional Items (If any, Vendor should provide the list with rate) *
- > Recommended Spares along with list & quantity (Vendors should submit with tender) *
- If any items required but not included in URS, to be mentioned and submitted with unit rate and quantity * (And it can be indicated during pre-bid meeting)

Any other ancillary or accessories or optional items not mentioned above also to be quoted.









Phone : 477 2258012 :477 2258665

:477 2258665 Fax : 0477 2258012

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - X : TRAINING REQUIREMENT

- > Training to all concern of M/s. HOMCO, Kerala for the Installation, Operation, Maintenance and Cleaning of this Equipment shall be provided by vendor and training record will be documented.
- > Vendor shall support client in execution of all the Qualification Phases.

above.





(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone : 477 2258012 :477 2258665

Fax : 0477 2258012

TECH

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - XI : APPROVED MAKES

Motor: Hindustan/Crompton/		Fraining to all concer
Gear Box: Shacon/ Buonfiglio/		and Cleaning of the
Stainless Steel Sheet & Pipe: Tata / Jindal	•	documented. *
VFD: Allen Bradly/Mitsubishi/	•	Vendor shall support
Cables: Finolex / Polycab	:	*

- Any other components, not mentioned above, to be specified by the vendor.
- * All the Component Makes should match with the Approved Makes listed above. Any deviation from this should be documented and communicated to HOMCO and Pharma Consultant.







Phone: 477 2258012 :477 2258665 Fax: 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - XII

DOCUMENTATION

Sr. No.	Document to be supplied	Qty	Remarks	
1	Design and operational qualification	2 sets	te neibent all	
2	SAT/FAT procedures	2 sets		
(3 ₁₉₁)	Operation manual ibsoins to	2 sets		
4 31	Maintenance manual elistent	2 sets		
5	Spare parts manual	2 sets		
6	All engineering drawings	2 sets	·	
7	List of instruments	2 sets		
8	Calibration certificates	2 sets		
9	Warranty / Guarantee	2 sets	oi eenoneesi	
10	List of all components with referencing	2 sets	Submission o	
11	Civil foundation drawings	2 sets	specification	
12	Pre installation requirements	2 sets		
13	Installation requirements 2319MU20b-00	2 sets	o noiseimáu?	
14	Installation manual	2 sets	D \ 20mw61Q	
15	Technical literature, data sheets and equipment catalogues	2 sets		
16	DQ, IQ, PQ documents. To used but studies to sell private	2 sets	3 Jaugolaiso	
17	Calibration Report of all sensors, controllers, PLC, transmitters, indicators etc.	2 sets	with quotatio	
18	Test Certificates of all material of construction	2 sets	losga ad oT *	
19	Test Certificates of all material of construction 2 sets Test Certificates of the software used in machine control / 2 sets monitoring system.			




CONSULTANT: M/S. KNACK TECHNOCRATS

42, AVINASH, 7 BUNGALOWS, J.P. ROAD, ANDHERI (W), MUMBAI – 400 TEL. NO.: 022-2636 1629, Email: infoknack@gmail.com







Website: www.homcokerala.com

Phone : 477 2258012 :477 2258665 Fax : 0477 2258012

Email: homcokerala@gmail.com

ANNEXURE - XIII : TERMS AND CONDITIONS

Delivery Period	Buto	List of all Documents to be supplied.
Payment Terms vi9 beligge	a bd	As mentioned in tender.
Packaging and forwarding	:	By Vendor
Un-loading at site	•	By vendor /Supplier (If required, help for the arrangements of unloading can be done by client)
2 sets		Installation in position by the vendor under the client's supervision
Excise / Taxes /GST		All engineering drawlings
Material for Trial arrangement	:	* (To be arranged by client)
Installation and Commissioning	:	By Vendor
Submission of documents and drawings		23063110123 Followilles
Response to URS and submission of quotation	·	Within 1 week
Submission of detail functional design	•	Within a week after order finalization
specification and schematic drawings		11 Civil foundation drawings
Submission of FAT / SAT specification	:	2 weeks before FAT
Submission of IQ AND OQ documents	:	With equipment delivery
Drawings / diagrams	:	Within a week after receiving PO

The supplier should notify customer 2 weeks in advance of the beginning of FAT

Catalogue, Equipment drawing, List of clients and year of establishment to be submitted along with quotation.

Any other terms, not mentioned above, also to be specified.

* To be specified and confirm by the supplier as per their equipment design



CONSULTANT: M/S. KNACK TECHNOCRATS

42, AVINASH, 7 BUNGALOWS, J.P. ROAD, ANDHERI (W), MUMBAI – 400 (TEL. NO.: 022-2636 1629, Email: infoknack@gmail.com





(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India. Pin-688 521

Phone: 477 2258012 :477 2258665 Fax: 0477 2258012

Website: www.homcokerala.com

Email: homcokerala@gmail.com

ANNEXURE - XIV : ABBREVIATION

1.	URS	:	User Requirement Specification.
2.	номсо	•	Kerala State Homeopathic Co-operative Pharmacy Ltd
3.	DQ		Design Qualification
4.	IQ	= ;	Installation Qualification
5.	OQ	:	Operational Qualification
6.	PQ		Performance Qualification
7.	SS	:	Stainless Steel
8.	RHS		Right Hand Side
9.	МОС		Material of Construction
10.	KW		Kilo Watt
11.	HP		Horse Power
12.	RPM	•	Rotation Per Minute
13.	FLP	•	Flame Proof
14.	cGMP		Current Good Manufacturing Practices
15.	O&M		Operation and Maintenance
16.	GA		General Arrangement
17.	SLD		Single Line Diagram
18.	HOD	:	Head of Department
19.	QA		Quality Analysis
20.	MRP		Maximum Retail Price
21.	NMT		Not more than
22.	VFD		Variable frequency drive
23.	FAT		Factory Acceptance Test
24	SAT		Site Acceptance Test

Any other details, not mentioned in Annexure I to XIII, to be specified in the quotation/specification by the vendor.



CONSULTANT: M/S. KNACK TECHNOCRATS

42, AVINASH, 7 BUNGALOWS, J.P. ROAD, ANDHERI (W), MUMBAI – 400 053 TEL. NO.: 022-2636 1629, Email: infoknack@gmail.com

