



Kerala State Homoeopathic Co-Operative Pharmacy Ltd.

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India - 688 521

Phone : 0477 2258012

:0477 2258665

Fax : 0477 2258012

Website : www.homcokerala.com

Email : homcokerala@gmail.com

Supplier's Copy

USER REQUIREMENT SPECIFICATION

Name of the Company	:	
Contact Person	:	
Address	:	
Contact Details	:	
Department	:	Store and production area
Equipment and Code No.	:	1) SS support for Compressed air pipeline
Name of work	:	Supply and Installation of SS support for Compressed air pipeline at M/s. HOMCO – Kerala.
Ref. No.	:	
Date	:	
Enclosures	:	
Qty.	:	SS support for Compressed air pipeline – 130 no's

**Kerala State Homoeopathic Co-Operative Pharmacy Ltd.**

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India - 688 521

Phone : 0477 2258012

: 0477 2258665

Fax : 0477 2258012

Website : www.homcokerala.comEmail : homcokerala@gmail.com**1.0****LIST OF SUPPORT REQUIRED**

Per user point drop line 2 supports are required and total 130 quantity was required as per the support.

2.0**PROCESS REQUIREMENT DETAIL**

To have a support for the SS compressed air pipe to mount with the wall.

3.0**DETAILS OF THE FILTER WITH HOUSING**

(To be specified by the supplier, if any specification variation is required)

S No	Description	Requirement
3.1 SS Support :		
3.1.1	MOC	SS 304
3.1.2	Structure	As per the drawing Annexure I
3.1.3	Parts	Pipe holding clamp for 25 mm OD pipe.
		80 mm Round plate with 2 hole for fixing in the wall/clean room sandwich panel
		M10 Rivet Nut and Bolt for Fittings
		100 mm Long pipe
3.1.4	Thickness of material	Round plate : 1.5 to 1.6 mm Thickness.
		Pipe : 2 mm Thickness
		Clamp : 1.5 to 1.6 mm Thickness

4.0**OPERATIONAL & CONTROL FEATURES**

S No	Description	Requirement
4.1	Clamp	Adjustable clamp

* To be specified and confirm by the supplier as per their equipment design



Kerala State Homoeopathic Co-Operative Pharmacy Ltd.

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India - 688 521

Phone : 0477 2258012

:0477 2258665

Fax : 0477 2258012

Website : www.homcokerala.com

Email : homcokerala@gmail.com

5.0 : SAFETY

(To be specified by the supplier, if any variation)

S No	Description	Requirement
5.1 Finishing		
5.1.1	Finishing	Finishing should be smooth matte finish without burrs

* To be specified and confirm by the supplier as per their equipment design

6.0 : MISCELLANEOUS

DESCRIPTION

(To be specified by the supplier, if any variation)

Miscellaneous:

- ❖ All required material supply and installation will be in the scope of vendor.

* To be specified and confirm by the supplier as per their equipment design

7.0 : CLEANING TECHNIQUE

DESCRIPTION

(To be specified by the supplier, if any variation)

Mode of machine cleaning	:	*
Use of Lubricants	:	*
All contact parts should be easily dismantled and cleanable.		
Easy washing and cleaning facility should be available		
Drain points: Vendor should specify the pipe size and location of drain points if required as per their system's drain requirement with pipe /nozzle size, valve etc.*		

* To be specified and confirm by the supplier as per their equipment design



Kerala State Homoeopathic Co-Operative Pharmacy Ltd.

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India - 688 521

Phone : 0477 2258012

:0477 2256665

Fax : 0477 2258012

Website : www.homcokerala.com

Email : homcokerala@gmail.com

8.0 : MECHANICAL DETAILS

DESCRIPTION (To be specified by the supplier, if any variation)		
Dimension (In mm)	:	Should be limited below are equal to as per the annexure 1 drawing *
Net Weight (In Kgs.)	:	*
Type of Packing	:	*
Case Dimension (In mm)	:	*
Gross Weight (In Kgs.)	:	*
Foundation details if required	:	*

* To be specified and confirm by the supplier as per their equipment design

9.0 : LIST OF ANCILLARY / ACCESSORIES / OPTIONAL ITEMS

DESCRIPTION (To be specified by the supplier, if any variation)
<u>Vendors should inform, provide details and consider scope of supply for the following:</u>
➤ If any items required but not included in URS, to be mentioned and submitted with unit rate and quantity * (And it can be informed to client during pre-bid meeting or before PO/WO)
➤ Any other ancillary or accessories or optional items not mentioned above but required for successful operation should also to be informed in advance before PO/WO
➤ Any other ancillary, or accessories or optional items not mentioned also to be quoted
➤ Details of Bought out components to be specified.

* To be specified and confirm by the supplier as per their equipment design



Kerala State Homoeopathic Co-Operative Pharmacy Ltd.

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India - 688 521

Phone : 0477 2258012

:0477 2258665

Fax : 0477 2258012

Website : www.homcokerala.com

Email : homcokerala@gmail.com

10.0 : TRAINING REQUIREMENT

- Training to all concern of M/s. HOMCO, Kerala for the Installation, Operation, Maintenance of Equipment provided by vendor and training record should be documented.

11.0 : DOCUMENTATION

List of all Documents to be supplied along with equipment [AS APPLICABLE]

Sr. No.	Document to be supplied	Qty	Remarks
11.1	MOC certificate	2 sets	

12.0 : TERMS AND CONDITIONS

Delivery Period	:	*
Payment Terms	:	As mentioned in tender.
Packaging and Forwarding	:	By Vendor
Un-loading at site	:	By vendor Installation in position by the vendor under the client's supervision
Excise / Taxes /GST	:	*
Material for Trial arrangement	:	* (To be arranged by client)
Installation and Commissioning	:	By Vendor
Response to URS and submission of quotation	:	Within 2 week
Submission of detail functional design specification and schematic drawings	:	Within a week after order finalization
Drawings / diagrams	:	With equipment delivery

Any other terms, not mentioned above, also to be specified.

*** To be specified by the supplier**



Kerala State Homoeopathic Co-Operative Pharmacy Ltd.

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India - 688 521

Phone : 0477 2258012

0477 2258665

Fax : 0477 2258012

Website : www.homcokerala.com

Email : homcokerala@gmail.com

13.0 : ABBREVIATION

13.1	URS	:	User Requirement Specification.
13.2	DQ	:	Design Qualification
13.3	SS	:	Stainless Steel
13.4	MOC	:	Material of Construction
13.5	cGMP	:	Current Goods Manufacturing Practices
13.6	O&M	:	Operation and Maintenance
13.7	GA	:	General Arrangement
13.8	SLD	:	Single Line Diagram
13.9	HOD	:	Head of Department
13.10	QA	:	Quality Analysis
13.11	MRP	:	Maximum Retail Price
13.12	NMT	:	Not more than
13.13	BPM	:	Bottles per minutes

Any other details, not mentioned in section 1.0 to 13.0, to be specified in the quotation/specification by the vendor.



Kerala State Homoeopathic Co-Operative Pharmacy Ltd.

(sponsored by government of Kerala & aided by govt. of India)

Office: Pathirappally, Alappuzha, Kerala, India - 688 521

Phone : 0477 2258012

:0477 2258665

Fax : 0477 2258012

Website : www.homcokerala.com

Email : homcokerala@gmail.com

1.0

:

LIST OF SUPPORT REQUIRED

Per user point drop line 2 supports are required and total 130 quantity was required as per the support.

2.0

:

PROCESS REQUIREMENT DETAIL

To have a support for the SS compressed air pipe to mount with the wall.

3.0

:

DETAILS OF THE FILTER WITH HOUSING

(To be specified by the supplier, if any specification variation is required)

S No	Description	Requirement
3.1 SS Support :		
3.1.1	MOC	SS 304
3.1.2	Structure	As per the drawing Annexure I
3.1.3	Parts	Pipe holding clamp for 25 mm OD pipe.
		80 mm Round plate with 2 hole for fixing in the wall/clean room sandwich panel
		M10 Rivet Nut and Bolt for Fittings
		100 mm Long pipe
3.1.4	Thickness of material	Round plate : 1.5 to 1.6 mm Thickness
		Pipe : 2 mm Thickness
		Clamp : 1.5 to 1.6 mm Thickness

4.0



:

OPERATIONAL & CONTROL FEATURES

S No	Description	Requirement
4.1	Clamp	Adjustable clamp

* To be specified and confirm by the supplier as per their equipment design

ANNEXURE I: PICTORIAL REPRESENTATION OF THE CLAMP REQUIRED



All Measurements and specification remains as per the URS.