

**SPECIFICATION FOR PACKING MATERIALS- GLASS BOTTLES- DISPENSING & DROPPER**

<b>SL. NO.</b>	<b>PACKING MATERIALS- GLASS BOTTLES</b>	<b>Colour</b>	<b>Height of Bottle with/without cap</b>	<b>Weight of Bottle without cap</b>	<b>Over flow</b>	<b>Bottom Diameter</b>
<b>1</b>	<b>Dispensing Glass bottles for Medicine Filling</b>					
a	5 ml screw	Amber/Clear	51±2 mm	5 – 6 g	5.5 – 6.5 ml	14 – 15.5 mm
b	7ml screw	Amber/Clear	56±2 mm	5.5 – 7.5 g	7.5 – 8.5 ml	14 – 16.5 mm
c	10 ml screw	Amber/Clear	74±2 mm	7.5 - 9 g	10.5 – 11.5 ml	14 – 16.5 mm
<b>II</b>	<b>GLASS DROPPER BOTTLES – screw type neck with dropper and cap-10 ml</b>					
a	10ml glass bottles screw type neck with dropper and cap.	Amber/Clear	74±2 mm	7.5 - 9 g	10.5 – 11.5 ml	14 – 16.5 mm

- Glass bottles should be Neutral.
- Glass bottles should be clear transparent and in uniform size.
- Should be supplied in good quality carton box.
- Each box (small/inner) should contain equal number of glass bottles (Gross packing)
- Outer carton box should be stiff, well strapped and marked with item name size & quantity.
- Bottle should be Pharma grade; and a Pharma grade certificate should be provided along with the supply
- The cap and screw plug (for 10 mL bottles) shall be suitable and made of pharma-grade material.

**05.02.2026**

**(Sd/-)**  
**Managing Director**